

Overview

- ALIMET® feed supplement is very cost effective and provides many additional benefits beyond methionine:
- HMTBa has 100 percent equivalency to DL-methionine.
 - Optimized performance during stress and high growth demands.
 - Liquid form means better blending and handling characteristics.
 - Benefits of acidification.

Product Description

ALIMET is an 88 percent active source of methionine activity in livestock. In addition to proven performance, ALIMET has benefits beyond methionine.

Contact your Novus sales representative directly or call Novus Nutrition Products Africa on +27 12 665 5377.

Feeding Instructions

POULTRY

Feed continuously as a component of a complete ration.

- Broilers: 0.20-0.35% of complete feed
- Layers: 0.10-0.20% of complete feed
- Turkeys: 0.20-0.35% of complete feed
- Ducks: 0.20-0.35% of complete feed

PORK

Feed continuously as a component of a complete ration.

- Nursery: up to 0.20% of complete feed
- Grower: up to 0.15% of complete feed
- Finisher (on PAYLEAN®): up to 0.10% of complete feed

DAIRY

Feed continuously as a component of a complete ration.

- Transition dairy cow: 15 g/head/day (21 days prepartum through calving)¹
- Lactating dairy cow: 25 g/head/day¹

Feed continuously as a component of a complete ration.

- Transition dairy cow: 15 g/head/day (21 days prepartum through calving)¹
- Lactating dairy cow: 25 g/head/day¹

BEEF

Feed continuously as a component of a complete ration.

- Growing cattle: 7.5-15 g/head/day¹
- Cows: 10-15 g/head/day¹

Nutrient Values

- Methionine activity: 88% in all species
- Effective crude protein value: 51.7% in aqua, poultry and swine
- Apparent metabolizable energy: 4,205 kcal/kg in poultry
4,604 kcal/kg for swine
- Water: 12% in all species
- Methionine activity as a percentage of dry matter: 100% in all species

Product Characteristics

Appearance:	Light-brown to brown liquid
Odor:	Sulfur
Bulk Density:	1.22 g/cm ³ at 25°C; 1.24 g/cm ³ at 0°C
Packaging:	250 kg drum, 1,150 kg IBC, and bulk
Shelf Life:	5 years when stored as directed

Storage Instructions

Store under sanitary conditions. Do not store container near combustible materials or ignition sources. Keep container closed when not in use. Keep from freezing.

1 Or per the recommendation of your feeding advisor.

Novus International, Inc. ▪ 20 Research Park Dr. ▪ St. Charles, MO 63304 USA ▪ 1.888.906.6887 ▪ www.novusint.com

Novus Nutrition Products Africa ▪ Unit 3 Oxford Office Park ▪ Highveld Techno Park ▪ Centurion ▪ South Africa ▪ +27 12 665 5377

Products not available in all countries.

NOTICE: While the information contained herein ("Information") is presented in good faith and believed to be correct as of the date hereof, Novus International, Inc., does not guarantee satisfactory results from reliance upon such Information, disclaims all liability for any loss or damage arising out of any use of this Information or the products to which said Information refers and MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE WITH RESPECT TO THE INFORMATION OR PRODUCTS, except as set forth in Novus's standard conditions of sale. Nothing contained herein is to be construed as a recommendation to use any product or process in conflict with any patent, and Novus International, Inc., makes no representation or warranty, express or implied, that the use thereof will not infringe any patent.

® NOVUS and MHA are trademarks of Novus International, Inc., and are registered in the United States and other countries.
TM SOLUTIONS SERVICE SUSTAINABILITY is a trademark of Novus International, Inc.

© 2012 Novus International, Inc. All rights reserved.
ALIMET_DS_EN3.indd | JJ 120608

NOVUS[®]

SA Registration V24824 (Act 36|1947)